

В. О. Нестеров*, О. І. Давидовська, В. Ю. Денисов

Інститут ядерних досліджень НАН України, Київ, Україна

*Відповідальний автор: v.nest.v@gmail.com

**РОЗРАХУНКИ ПЕРЕРІЗІВ ПІДБАР'ЄРНОГО ЗЛІТТЯ ТА ПРУЖНОГО РОЗСІЯННЯ
ВАЖКИХ ІОНІВ ЗА ДОПОМОГОЮ МОДИФІКОВАНОГО ПІДХОДУ
ТОМАСА - ФЕРМІ З СИЛАМИ СКІРМА**

Ядерно-ядерні потенціали для реакцій $^{16}\text{O} + ^{56}\text{Fe}$ та $^{40}\text{Ca} + ^{40}\text{Ca}$ розраховано в рамках модифікованого методу Томаса - Фермі з використанням функціоналу густини енергії Скірма. На основі отриманих потенціалів одержано перерізи підбар'єрного злиття та пружного розсіяння, що добре узгоджуються з експериментальними даними.

Ключові слова: ядерно-ядерний потенціал взаємодії, модифікований метод Томаса - Фермі, переріз підбар'єрного злиття, пружне розсіяння.

В. А. Нестеров*, О. И. Давидовская, В. Ю. Денисов

Институт ядерных исследований НАН Украины, Киев, Украина

*Ответственный автор: v.nest.v@gmail.com

**РАСЧЕТЫ ПОПЕРЕЧНЫХ СЕЧЕНИЙ ПОДБАРЬЕРНОГО СЛИЯНИЯ И УПРУГОГО РАССЕЯНИЯ
ТЯЖЕЛЫХ ИОНОВ С ПОМОЩЬЮ МОДИФИЦИРОВАННОГО ПОДХОДА ТОМАСА – ФЕРМИ
С СИЛАМИ СКИРМА**

Ядерно-ядерные потенциалы для реакций $^{16}\text{O} + ^{56}\text{Fe}$ и $^{40}\text{Ca} + ^{40}\text{Ca}$ рассчитаны в рамках модифицированного метода Томаса - Ферми с использованием функционала плотности энергии Скирма. На основе полученных потенциалов найдены сечения подбарьерного слияния и упругого рассеяния, которые хорошо согласуются с экспериментальными данными.

Ключевые слова: ядерно-ядерный потенциал взаимодействия, модифицированный метод Томаса - Ферми, сечение подбарьерного слияния, упругое рассеяние.

V. O. Nesterov*, O. I. Davydovska, V. Yu. Denisov

Institute for Nuclear Research, National Academy of Sciences of Ukraine, Kyiv, Ukraine

*Corresponding author: v.nest.v@gmail.com

**CALCULATION OF THE CROSS-SECTIONS OF SUB-BARRIER FUSION AND ELASTIC SCATTERING
OF HEAVY IONS USING THE MODIFIED THOMAS - FERMI APPROACH WITH THE SKYRME FORCE**

The nucleus-nucleus potentials for the $^{16}\text{O} + ^{56}\text{Fe}$ and $^{40}\text{Ca} + ^{40}\text{Ca}$ reactions are calculated in the framework of the modified Thomas - Fermi method with the Skyrme energy density functional. Using these potentials, the cross-sections of sub-barrier fusion and elastic scattering are obtained, which are in good agreement with the experimental data.

Keywords: nucleus-nucleus interaction potential, modified Thomas - Fermi method, sub-barrier fusion cross-section, elastic scattering.

REFERENCES

1. R. Bass. *Nuclear Reactions with Heavy Ions* (Springer-Verlag, Berlin, 1980) 410 p.
2. G.R. Satchler. *Direct Nuclear Reactions* (Clarendon Press, Oxford, 1983) 833 p.
3. P. Frobrich, R. Lipperheide. *Theory of Nuclear Reactions* (Clarendon Press, Oxford, 1996) 476 p.
4. J. Blocki et al. Proximity forces. *Ann. Phys.* 105 (1977) 427.
5. W.D. Myers, W.J. Swiatecki. S-nucleus proximity potential and superheavy nuclei. *Phys. Rev. C* 62 (2000) 044610.
6. H.J. Kruppe, J.R. Nix, A.J. Sierk. Unified nuclear potential for heavy-ion elastic scattering, fusion, fission, and ground-state masses and deformations. *Phys. Rev. C* 20 (1979) 992.
7. A. Winther. Dissipation, polarization and fluctuation in grazing heavy-ion collisions and the boundary to the chaotic regime. *Nucl. Phys. A* 594 (1995) 203.
8. V.Yu. Denisov. Interaction potential between heavy ions. *Phys. Lett. B* 526 (2002) 315.
9. V.Yu. Denisov. Nucleus-nucleus potential with shell-correction contribution. *Phys. Rev. C* 91 (2015) 024603.
10. V.Yu. Denisov, W. Norenberg. Entrance channel potentials in the synthesis of the heaviest nuclei. *Eur. Phys. J. A* 15 (2002) 375.

11. V.Yu. Denisov, V.A. Nesterov. Potential of interaction between nuclei and nucleon-density distribution in nuclei. *Phys. Atom. Nucl.* **69** (2006) 1472.
12. V.Yu. Denisov. Entrance-channel potentials in synthesis of the heaviest nuclei, muon catalysis of superheavy element formation. *Acta Phys. Hung. A* **19/1-2** (2004) 121.
13. V.Yu. Denisov. Superheavy element production, nucleus-nucleus potential and μ -catalysis. *AIP Conf. Proc.* **704** (2004) 92.
14. V.Yu. Denisov, S. Hofmann. Formation of superheavy elements in cold fusion reactions. *Phys. Rev. C* **61** (2000) 034606.
15. G.G. Adamian, N.V. Antonenko, W. Scheid. Isotopic dependence of fusion cross sections in reactions with heavy nuclei. *Nucl. Phys. A* **678** (2000) 24.
16. V.I. Zagrebaev. Synthesis of superheavy nuclei: Nucleon collectivization as a mechanism for compound nucleus formation. *Phys. Rev. C* **64** (2001) 034606.
17. Y. Abe et al. Theoretical predictions of residue cross-sections for superheavy elements. *Nucl. Phys. A* **734** (2004) 168.
18. W.J. Swiatecki, K. Siwek-Wilczynska, J. Wilczynski. Fusion by diffusion. II. Synthesis of transfermium elements in cold fusion reactions. *Phys. Rev. C* **71** (2005) 014602.
19. Y. Aritomo, M. Ohta. Trajectory analysis for fusion path in superheavy-mass region. *Nucl. Phys. A* **753** (2005) 152.
20. P. Ring, P. Schuck. *The Nuclear Many-Body Problem* (Springer-Verlag, New York 1980) 718 p.
21. M. Brack, C. Guet, H.B. Hakanson. Selfconsistent semiclassical description of average nuclear properties – a link between microscopic and macroscopic models. *Phys. Rep.* **123** (1985) 275.
22. M. Brack, R.K. Bhaduri. *Semiclassical Physics* (Addison-Wesley Publ. Co, Reading, Massachusetts 1997) 462 p.
23. V.M. Strutinskiy, A.G. Magner, V.Yu. Denisov. Density distribution in nuclei. *Yadernaya Fizika* **42** (1985) 1093 (Rus).
24. V.M. Strutinsky, A.G. Magner, V.Yu. Denisov. Density distribution in nuclei. *Z. Phys. A* **322** (1985) 149.
25. V.Yu. Denysov, V.A. Nesterov. Investigation of spherical nuclei in the framework of the nonlocal modified Thomas - Fermi approximation. *Ukrainian Physical Journal* **45**(10) (2000) 1164 (Ukr)
26. V.Yu. Denisov. V.A. Nesterov. Binding energies and density distribution of atomic nuclei in the framework of the nonlocal modified Thomas - Fermi method. *Phys. At. Nucl.* **65**(5) (2002) 814.
27. J. Dobaczewski, W. Nazarewicz, P.-G. Reinhard. Pairing interaction and self-consistent densities in neutron-rich nuclei. *Nucl. Phys. A* **693** (2001) 361.
28. D. Vautherin, D.M. Brink. Hartree-Fock Calculations with Skyrme's Interaction. I. Spherical Nuclei. *Phys. Rev. C* **5** (1972) 626.
29. J. Bartel et al. Towards a better parametrisation of Skyrme-like effective forces: a critical study of the SkM force. *Nucl. Phys. A* **386** (1982) 79.
30. S.A. Fayans et al. Nuclear isotope shifts within the local energy density functional approach. *Nucl. Phys. A* **676** (2000) 49.
31. J.W. Negele. The mean-field theory of nuclear structure and dynamics. *Rev. Mod. Phys.* **54** (1982) 913.
32. M. Dasgupta et al. Measuring barriers to fusion. *Annu. Rev. Nucl. Part. Sci.* **48** (1998) 401.
33. G. Montagnoli, A.M. Stefanini. Recent experimental results in sub- and near-barrier heavy-ion fusion reactions. *Eur. Phys. J. A* **53** (2017) 169.
34. K. Hagino, N. Rowley, A.T. Kruppa. A program for coupled-channel calculations with all order couplings for heavy-ion fusion reactions. *Comput. Phys. Commun.* **123** (1999) 143.
35. V.Yu. Denisov. Subbarrier fusion of heavy ions and subbarrier few-nucleon transfers. Fusion of nuclei far from the β -stability line. *Phys. At. Nucl.* **62** (1999) 1349.
36. V.Yu. Denisov. Subbarrier heavy ion fusion enhanced by nucleon transfer. *Eur. Phys. J. A* **7** (2000) 87.
37. K. Hagino, N. Rowley, M. Dasgupta. Fusion cross sections at deep sub-barrier energies. *Phys. Rev. C* **67** (2003) 054603.
38. D.J. Hinde et al. Influence of Entrance Channel Properties on Heavy-Ion Reaction Dynamics. *Eur. Phys. J. A* **13** (2002) 149.
39. M. Dasgupta, D.J. Hinde. Importance of entrance channel dynamics on heavy element formation. *Nucl. Phys. A* **734** (2004) 148.
40. J.O. Newton et al. Systematic failure of the Woods-Saxon nuclear potential to describe both fusion and elastic scattering: Possible need for a new dynamical approach to fusion. *Phys. Rev. C* **70** (2004) 024605.
41. C.R. Morton et al. Coupled-channels analysis of the $^{16}\text{O} + ^{208}\text{Pb}$ fusion barrier distribution. *Phys. Rev. C* **60** (1999) 044608.
42. O.I. Davydovska, V.Yu. Denisov, V.A. Nesterov. Comparison of the nucleus-nucleus potential evaluated in the double-folding and energy density approximations and the cross-sections of elastic scattering and fusion of heavy ions. *Nucl. Phys. A* **989** (2019) 214.
43. B. Pritychenko et al. Tables of E2 transition probabilities from the first 2^+ states in even-even nuclei. *At. Data Nucl. Data Tabl.* **107** (2016) 1.
44. T. Kibedi, R.H. Spear. Reduced electric-octupole transition probabilities, $B(E3; 0 \rightarrow 3)$ —an update. *At. Data Nucl. Data Tabl.* **80** (2002) 35.
45. V.Yu. Denisov, V.A. Pluiko. *Problems of the Physics of the Atomic Nucleus and Nuclear Reactions* (Kyiv: Kyiv University, 2013). 430 p. (Rus)

46. A. Oglöblin et al. New measurement of the refractive, elastic $^{16}\text{O} + ^{12}\text{C}$ scattering at 132, 170, 200, 230, and 260 MeV incident energies. [Phys. Rev. C 62 \(2000\) 044601](#).
47. Dao T. Khoa et al. Study of diffractive and refractive structure in the elastic $^{16}\text{O} + ^{16}\text{O}$ scattering at incident energies ranging from 124 to 1120 MeV. [Nucl. Phys. A 672 \(2000\) 387](#).
48. G.F. Bertsch. The collision integral in nuclear matter at zero temperature. [Z. Phys A 289 \(1978\) 103](#).
49. H. Funaki, E. Arai. Anomaly in the ^{15}N , ^{16}O , $^{19}\text{F} + ^{54,56}\text{Fe}$ fusion cross sections around the Coulomb barrier energy. [Nucl. Phys. A 556 \(1993\) 307](#).
50. G. Montagnoli et al. Fusion of $^{40}\text{Ca} + ^{40}\text{Ca}$ and other Ca + Ca systems near and below the barrier. [Phys. Rev. C 85 \(2012\) 024607](#).
51. W. Obst, D.L. McShan, R.H. Davis. Elastic Scattering of ^{16}O by ^{56}Fe , $^{70,74}\text{Ge}$, and ^{90}Zr . [Phys. Rev. C 6 \(1972\) 1814](#).
52. H. Doubre et al. Elastic scattering of ^{40}Ca by ^{40}Ca . [Phys. Rev. C 15 \(1977\) 693](#).

Надійшла 24.09.2019
Received 24.09.2019